

File Name: Air_Handling_Unit-Indoor_Split-Temperzone-ISD116_&_141KYX_150401.01_2011.rfa

2 Family Types: ISD 116 & 141 KYX

Modified Issue: 150401.01

This read me document is provided for the purpose of parameter clarification. The temperzone product range is diverse and each group of units require unique parameters within their Revit Family to help define them. Parameters you may need help understanding are discussed below.

Graphics Properties

The 'Graphics' instance parameter tick boxes, displayed within this family, are not a list of all the options available for this product. The purpose of these tick boxes is for the correct display of the products external geometry when any combination of specific options have been selected, and also to ensure the correct placement and sizing of connectors where applicable, therefore understanding these variations is important. If an available option for this product does not appear within the 'Graphics' properties list e.g. Electric Heat or Filters, then its inclusion does not effect the overall external geometry of the unit or its connectors.

The following are explanations for each of the 'Graphics' properties tick boxes within this family:

Standard Box Supply Spigot Installed _ Do not tick when adding optional Supply Plenum Family connector

Tick this box if your unit comes with the 'Standard Box Supply Spigot'. If you do not tick this box then the box labelled '*You must connect the optional Supply Plenum Family connector*' will be **ticked automatically**.

You must connect the optional Supply Plenum Family connector

This box is **automatically ticked** if you do not tick '*Standard Box Supply Spigot Installed _ Do not tick when adding optional Supply Plenum Family connector*'. This means your unit comes with one of temperzone's optional single or multi spigot supply plenums, for connecting up to flexible ducting. You will now need to load the corresponding supply plenum family connector, which matches your unit, and attach it. This option can not be used alone and must have this connector.

Standard Box Return Spigot Installed _ Do not tick when adding optional Return Plenum Family connector

Tick this box if your unit comes with the 'Standard Box Return Spigot'. If you do not tick this box then the box labelled '*You must connect the optional Return Plenum Family connector*' will be **ticked automatically**.

You must connect the optional Return Plenum Family connector

This box is **automatically ticked** if you do not tick '*Standard Box Return Spigot Installed _ Do not tick when adding optional Return Plenum Family connector*'. This means your unit comes with one of temperzone's optional single or multi spigot return plenums, for connecting up to flexible ducting. You will now need to load the corresponding return plenum family connector, which matches your unit, and attach it. This option can not be used alone and must have this connector.

Filter Box Installed _ Right Access

Tick this box when you have a standard filter box installed and plan to have right hand access to the filter.

Filter Box Installed _ Left Access

Tick this box when you have a standard filter box installed and plan to have left hand access to the filter.

Spring Mounting Kit Installed

Tick this box when you have a standard spring mounting kit installed. This will give you their mounting points.

Single Phase

Tick this box when your unit is single phase. The model will change accordingly.

Three Phase

This box is ***automatically ticked*** if you do not tick '*Single Phase*'.

Connector Element Properties

Care has been taken to provide connector elements that are functional. Within this family you will find instance parameters, mapped to connectors, have been set to zero to allow for end user input. It is the end users responsibility to enter accurate data, for individual products, as required, into these fields. This data can be found within temperzone's technical data manuals or unit selection programmes. Visit www.temperzone.biz or contact your Temperzone representative for access to this information.

**AUCKLAND**

temperzone Ltd
38 Tidal Road,
Mangere South, Manukau 2022.
Private Bag 93303,
Otahuhu, Manukau 1640.
Phone 0-9-279 5250
Fax 0-9-275 5637
Email sales@temperzone.co.nz

WELLINGTON

Phone 0-4-569 3262
Fax 0-4-566 6249

CHRISTCHURCH

Phone 0-3-379 3216
Fax 0-3-379 5956

SINGAPORE

temperzone Ltd
1 Claymore Drive #08-13
Rear Block, Orchard Towers
Singapore 229594
Phone SNG 6733 - 4292
Fax SNG 6235 - 7180
Email sales@temperzone.com.sg

SYDNEY

temperzone australia Pty Ltd
14 Carnagie Pl, Blacktown, NSW 2148
PO Box 8064, Seven Hills West NSW 2147
Phone (02) 8822 - 5700
Fax (02) 8822 - 5711
Email sales@temperzone.com.au

MELBOURNE

Phone (03) 8769 - 7600
Fax (03) 8769 - 7601

ADELAIDE

Phone (08) 8340 - 0607
Fax (08) 8340 - 2118

PERTH

Phone (08) 9314 - 3844
Fax (08) 9314 - 3855

TOWNSVILLE

Phone (07) 4773 - 9566
Fax (07) 4773 - 9166

BRISBANE

Phone (07) 3308 - 8333
Fax (07) 3308 - 8330

NEWCASTLE

Phone (02) 4962 - 1155
Fax (02) 4961 - 5101

HOBART

Phone (03) 6331 - 4209
Fax (03) 6333 - 0224

Visit our website www.temperzone.biz