

Model	OPA 350RLTFPQ-S2
Configuration	Horizontal Supply Air
Item No. (Standard / Opposite Hand)	876-035-701 / 876-035-710
Unit c/w Fresh Air (OPA 350RLTFPQ-C)	878-035-701 / 878-035-710
Configuration	Downward Supply Air
Item No. (Standard / Opposite Hand)	876-035-723 / 876-035-732
Unit c/w Fresh Air (OPA 350RLTFPQ-C)	878-035-723 / 878-035-732
Cooling capacity (net) ¹	34.8 kW
Cooling capacity range (gross)	18.0 ~ 45.4 kW
Heating capacity ¹	37.0 kW
Heating capacity range	13.9 ~ 47.0 kW
Electrical input - cooling	11.1 kW
Electrical input - heating	11.5 kW
EER / AEER (cooling) ¹	3.15 / 3.14
COP / ACOP (heating) ¹	3.21 / 3.19
Unit Controller	UC8
Refrigerant	R32
Refrigerant Charge	10.5 kg
Minimum floor area (@2.4m below ceiling diffuser)	58.6 m ²
Compressor oil type	POE-46 (NXG5020 or equivalent)
Compressor type	inverter scroll
Power supply ²	3 ph. 400 V ac 50 Hz + N + E
Compressor (3ph.) run amps ¹	14 A/ph
Compressor + VSD circuit breaker	40 A
Indoor fan motor size	EC plug 500 dia. 3.58kW
Nominal air flow at rating conditions	1800 l/s
Indoor fan motor (3ph.) - full load	5.5 A/ph.
Outdoor fan motor (3ph.) - full load	4.6 A/ph.
Outdoor fan type	EC axial
Outdoor fan max. static pressure @ 3800 l/s	125 Pa
Control circuit breaker (internal)	2 A
Auxiliary power outlet (1ph.) overload setting	10 A
Running amps (total system) ¹	17.5 / 15.5 / 19.5 A
Max. running amps (total system)	35 A/ph.
RCD type recommended	type B, 30mA, 3 pole
Net weight	596 kg
Shipping weight	652 kg
Net Weight c/w Fresh Air Cowl option	604 kg

Accessories:

Filters - rated EU4/G4 disposable	019-400-001 600x300x50 (x1) ³ 019-400-005 600x500x50 (x2)
Filters - rated EU4/G4 washable	019-000-037 600x300x50 (x1) ³ 019-000-034 600x500x50 (x2)
Drain tundish (set of 2)	060-000-653

Optional Controls:

TZT-100 Room temperature controller	201-000-350
-------------------------------------	-------------

Refer to temperzone for other options.

20058

¹ Tested in accordance with AS/NZS 3823

² Voltage range: 380–440V


³ Filter sizes are nominal; refer to Temperzone for actual measurements.

DIMENSIONS (mm)




Not to Scale

OPA 350RLTFP01(-C)-S2 Standard Hand, Horizontal Supply




OPA 350RLTFP23(-C)-S2 Standard Hand, Downward Supply



NOTE

Specifications are subject to change without notice due to the manufacturer's ongoing research and development programme.



REV	DESCRIPTION	ECN	DATE	APPROVED
A	Initial Release			
B	Economiser wiring modified for OPA003.	5033	22-07-22	A.W.G
C	Different IFM options shown	5047	16-09-22	R.K.



©temperzone Ltd 2020

Client Wiring

Drawn: A.W.G
 Appvd: BK

Date: 13-05-20
 PUL

Title: OPA 250/350/450/560 RLTFPQ(-Z) UC8
 Wiring Schematic

Drawing No: 291-003-263
 SHEET 1 OF 2

Rev: C

0	1	2	3	4	5	6	7	8	9																																																																																																																				
<p style="text-align: center;">Client Wiring</p> <p style="text-align: center;">Client External Protection and Isolator Switch</p>	<p style="text-align: center;">Customer BMS Input</p> <p style="text-align: center;">Connect cable screen to 'EARTH' terminal</p>	<p style="text-align: center;">Ferrites</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Part Number</th> <th>Frequency Type</th> <th>Number of Turns</th> </tr> </thead> <tbody> <tr> <td>A 012-001-074</td> <td>High</td> <td>1</td> </tr> <tr> <td>B 012-001-094</td> <td>Low</td> <td>1</td> </tr> </tbody> </table> <p style="text-align: center;">Important Note! Ferrite 'A' on OD Fan circuit breaker for OPA 450 and 560 only.</p>	Part Number	Frequency Type	Number of Turns	A 012-001-074	High	1	B 012-001-094	Low	1	<table border="1" style="width:100%; border-collapse: collapse;"> <tr><td>24VCB</td><td>24 Volt Circuit Breaker</td></tr> <tr><td>CCB</td><td>Control Circuit Breaker</td></tr> <tr><td>CCH</td><td>Crankcase Heater</td></tr> <tr><td>CM</td><td>Compressor Motor</td></tr> <tr><td>DMF</td><td>Damper Motor Fresh Air</td></tr> <tr><td>DMR</td><td>Damper Motor Return Air</td></tr> <tr><td>EEV</td><td>Electronic Expansion Valve</td></tr> <tr><td>EMIFB</td><td>EMI Filter Board</td></tr> <tr><td>ETH</td><td>Earth</td></tr> <tr><td>FRB</td><td>Fault Relay Board</td></tr> <tr><td>IFCB</td><td>Indoor Fan Circuit Breaker</td></tr> <tr><td>IFM</td><td>Indoor Fan Motor</td></tr> <tr><td>IBB</td><td>Insulated Bus Bar</td></tr> <tr><td>MIS</td><td>Main Isolator Switch</td></tr> <tr><td>OFCB</td><td>Outdoor Fan Circuit Breaker</td></tr> <tr><td>OFM</td><td>Outdoor Fan Motor</td></tr> <tr><td>PCLP</td><td>P Clip</td></tr> <tr><td>RV</td><td>Reversing Valve</td></tr> <tr><td>SCB</td><td>Socket Circuit Breaker</td></tr> <tr><td>SPS</td><td>Single Phase Socket</td></tr> <tr><td>TB</td><td>Terminal Block</td></tr> <tr><td>TR</td><td>Transformer</td></tr> <tr><td>UC8</td><td>Unit Controller 8</td></tr> <tr><td>VSD</td><td>Variable Speed Drive</td></tr> <tr><td>VSDCB</td><td>Variable Speed Drive Circuit Breaker</td></tr> <tr><td>W</td><td>Cable Marker</td></tr> </table>	24VCB	24 Volt Circuit Breaker	CCB	Control Circuit Breaker	CCH	Crankcase Heater	CM	Compressor Motor	DMF	Damper Motor Fresh Air	DMR	Damper Motor Return Air	EEV	Electronic Expansion Valve	EMIFB	EMI Filter Board	ETH	Earth	FRB	Fault Relay Board	IFCB	Indoor Fan Circuit Breaker	IFM	Indoor Fan Motor	IBB	Insulated Bus Bar	MIS	Main Isolator Switch	OFCB	Outdoor Fan Circuit Breaker	OFM	Outdoor Fan Motor	PCLP	P Clip	RV	Reversing Valve	SCB	Socket Circuit Breaker	SPS	Single Phase Socket	TB	Terminal Block	TR	Transformer	UC8	Unit Controller 8	VSD	Variable Speed Drive	VSDCB	Variable Speed Drive Circuit Breaker	W	Cable Marker	<p style="text-align: center;">Economiser Option</p>	<p style="text-align: center;">Sensors (S) / Transducers (T)</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>DL</th> <th>Name</th> <th>Type</th> <th>Colour</th> </tr> </thead> <tbody> <tr><td>SL</td><td>Discharge Temp</td><td>S</td><td>GREY</td></tr> <tr><td>AMB</td><td>Suction Temp</td><td>S</td><td>WHITE</td></tr> <tr><td>DEI</td><td>Ambient Temp</td><td>S</td><td>YELLOW</td></tr> <tr><td>IC</td><td>De-ice Temp</td><td>S</td><td>BLUE</td></tr> <tr><td>LPT</td><td>De-ice Temp</td><td>S</td><td>BLUE</td></tr> <tr><td>HPT</td><td>Suction Pressure</td><td>T</td><td></td></tr> <tr><td></td><td>High Pressure</td><td>T</td><td></td></tr> </tbody> </table>	DL	Name	Type	Colour	SL	Discharge Temp	S	GREY	AMB	Suction Temp	S	WHITE	DEI	Ambient Temp	S	YELLOW	IC	De-ice Temp	S	BLUE	LPT	De-ice Temp	S	BLUE	HPT	Suction Pressure	T			High Pressure	T		<p style="text-align: center;">UC8 terminals</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAT-3</th> <th>TZT100 Terminals</th> </tr> </thead> <tbody> <tr><td>12</td><td>24</td></tr> <tr><td>B</td><td>B</td></tr> <tr><td>A2</td><td>A</td></tr> <tr><td>0V</td><td>GND</td></tr> <tr><td>Shield to 0V</td><td>24C</td></tr> </tbody> </table>	SAT-3	TZT100 Terminals	12	24	B	B	A2	A	0V	GND	Shield to 0V	24C	<p style="text-align: center;">UC8 DIP switch settings</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>DIP switch</th> <th>↑ On/Off ↓</th> </tr> </thead> <tbody> <tr><td>1,2,4,6,7,10,14</td><td>On</td></tr> <tr><td>All Others Off</td><td>Off</td></tr> </tbody> </table>	DIP switch	↑ On/Off ↓	1,2,4,6,7,10,14	On	All Others Off	Off	<p style="text-align: center;">PSD DIP switch settings</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>DIP switch</th> <th>↑ On/Off ↓</th> </tr> </thead> <tbody> <tr><td>1, 4</td><td>On</td></tr> <tr><td>2, 3</td><td>Off</td></tr> </tbody> </table>	DIP switch	↑ On/Off ↓	1, 4	On	2, 3	Off
Part Number	Frequency Type	Number of Turns																																																																																																																											
A 012-001-074	High	1																																																																																																																											
B 012-001-094	Low	1																																																																																																																											
24VCB	24 Volt Circuit Breaker																																																																																																																												
CCB	Control Circuit Breaker																																																																																																																												
CCH	Crankcase Heater																																																																																																																												
CM	Compressor Motor																																																																																																																												
DMF	Damper Motor Fresh Air																																																																																																																												
DMR	Damper Motor Return Air																																																																																																																												
EEV	Electronic Expansion Valve																																																																																																																												
EMIFB	EMI Filter Board																																																																																																																												
ETH	Earth																																																																																																																												
FRB	Fault Relay Board																																																																																																																												
IFCB	Indoor Fan Circuit Breaker																																																																																																																												
IFM	Indoor Fan Motor																																																																																																																												
IBB	Insulated Bus Bar																																																																																																																												
MIS	Main Isolator Switch																																																																																																																												
OFCB	Outdoor Fan Circuit Breaker																																																																																																																												
OFM	Outdoor Fan Motor																																																																																																																												
PCLP	P Clip																																																																																																																												
RV	Reversing Valve																																																																																																																												
SCB	Socket Circuit Breaker																																																																																																																												
SPS	Single Phase Socket																																																																																																																												
TB	Terminal Block																																																																																																																												
TR	Transformer																																																																																																																												
UC8	Unit Controller 8																																																																																																																												
VSD	Variable Speed Drive																																																																																																																												
VSDCB	Variable Speed Drive Circuit Breaker																																																																																																																												
W	Cable Marker																																																																																																																												
DL	Name	Type	Colour																																																																																																																										
SL	Discharge Temp	S	GREY																																																																																																																										
AMB	Suction Temp	S	WHITE																																																																																																																										
DEI	Ambient Temp	S	YELLOW																																																																																																																										
IC	De-ice Temp	S	BLUE																																																																																																																										
LPT	De-ice Temp	S	BLUE																																																																																																																										
HPT	Suction Pressure	T																																																																																																																											
	High Pressure	T																																																																																																																											
SAT-3	TZT100 Terminals																																																																																																																												
12	24																																																																																																																												
B	B																																																																																																																												
A2	A																																																																																																																												
0V	GND																																																																																																																												
Shield to 0V	24C																																																																																																																												
DIP switch	↑ On/Off ↓																																																																																																																												
1,2,4,6,7,10,14	On																																																																																																																												
All Others Off	Off																																																																																																																												
DIP switch	↑ On/Off ↓																																																																																																																												
1, 4	On																																																																																																																												
2, 3	Off																																																																																																																												
<p style="text-align: center;">Important Note! Unit requires 24 hour power supply for control circuit and crankcase heaters</p>																																																																																																																													
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>REV</th> <th>DESCRIPTION</th> <th>ECN</th> <th>DATE</th> <th>APPROVED</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>Initial Release</td> <td></td> <td></td> <td></td> </tr> <tr> <td>B</td> <td>Economiser wiring modified for OPA003.</td> <td>5033</td> <td>22-07-22</td> <td>A.W.G</td> </tr> <tr> <td>C</td> <td>Different IFM options shown</td> <td>5047</td> <td>16-09-22</td> <td>R.K.</td> </tr> </tbody> </table>	REV	DESCRIPTION	ECN	DATE	APPROVED	A	Initial Release				B	Economiser wiring modified for OPA003.	5033	22-07-22	A.W.G	C	Different IFM options shown	5047	16-09-22	R.K.																																																																																																									
REV	DESCRIPTION	ECN	DATE	APPROVED																																																																																																																									
A	Initial Release																																																																																																																												
B	Economiser wiring modified for OPA003.	5033	22-07-22	A.W.G																																																																																																																									
C	Different IFM options shown	5047	16-09-22	R.K.																																																																																																																									
				©temperzone Ltd 2020 Client Wiring		Drawn: A.W.G Appvd: BK	Date: 13-05-20 PUL	Title: OPA 250/350/450/560 RLTFPQ(-Z) UC8 Wiring Schematic		Drawing No: 291-003-263 SHEET 2 OF 2	Rev: C																																																																																																																		